

1/18




Fig. 1

2/18

MCF 7M IN LIQUID CULTURE




Fig. 2A

MCF 7M IN LIQUID CULTURE




Fig. 2B

3/18




Fig. 2C




Fig. 3

4/18




Fig.4

09819097.052301

5/18

BT549 IN LIQUID CULTURE FOR 10 DAYS




Fig. 5A

BT549 IN LIQUID CULTURE FOR 10 DAYS




Fig. 5B

6/18

PRIMARY NORMAL BREAST CELLS IN LIQUID CULTURE




Fig. 6

7/18

INHIBITION OF PROLIFERATION OF MCF-7 CELLS BY ONCOSTATIN M




Fig. 7




Fig. 8

8/18

OSM INHIBITS MCF-7 CELLS IN SERUM FREE CULTURE




Fig. 9A

OSM INHIBITS MCF-7 CELLS IN SERUM FREE CULTURE




Fig. 9B

9/18

DECREASED S PHASE FRACTION OF MCF-7 CELLS EXPOSED TO OSM




Fig. 10

DAY POST ADMINISTRATION OF CYTOKINE

10/18



Fig. 11A



Fig. 11B



Fig. 11C



Fig. 11D

09819097-052301

11/18




Fig. 12

12/18




Fig. 13A




Fig. 13B




Fig. 13C




Fig. 13D

09819097.052301

13/18




Fig. 14

TOC250" 2606T860

14/18




Fig. 15A




Fig. 15B




Fig. 15C



Fig. 15D

15/18




Fig. 16




Fig. 17

16/18




Fig. 18




Fig. 19

17/18




Fig. 20A




Fig. 20B

0094997 0530 26067860

18/18




Fig. 21